



SYMBOL: **4933443468** MANUFACTURER: **Milwaukee** EAN: **4002395004355**



## HD18 H-402C - 4 -Mode SDS-Plus hammer 18 V, 4.0 Ah, HEAVY DUTY, in case, with 2 batteries and charger, 4933443468

- Voltage: 18 V
- No load speed: 1400 rpm
- Max. percussion rate: 4200 bpm
- Blow energy: 2.4 J
- Tool holder: SDS-Plus
- Max. drilling wood/ metal/ concrete: 30/13/24 mm
- Battery type: Li-ion
- No. of batteries supplied: 2
- Battery pack capacity: 4.0 Ah
- Charger supplied: 80 min
- Weight with battery pack: 3.5 kg

**WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)**



~~2 669,00 zł~~ **-10%**

**2 402,10 zł** (tax excl.)

(2 954,58 zł (tax incl.))

PayU

Product page

link > <https://im-narzedzia.pl/en/20080-hd18-h-402c-4-mode-sds-plus-hammer-18-v-40-ah-heavy-duty-in-case...>

### DESCRIPTION

- Vibration drilling and chiseling: 12.2/7.4 m/s<sup>2</sup>
- Sound power level: 99 dB(A)
- Sound pressure level: 88 dB(A)
- High powered motor gives corded tool performance.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- Powerful hammer mechanism: delivers 2.4 J (EPTA) of impact energy.
- All metal gear case: optimum seating for gears to enhance service life.
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility.
- Variolock and hammer stop function.
- Mechanical clutch: protects tool when bit binds up.
- Anti-Vibration-System: delivers max. comfort by minimising vibration.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- Fuel gauge displays remaining charge.
- REDLITHIUM™-ION battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M18™ [batteries](#).
- **Supplied in case (Kitbox) with 2 batteries and charger.**

### FEATURES

Symbol	HD18H-402C
Waga [kg]	3.50
Uchwyt	SDS-Plus
Częstość uderu [ud/min]	4200
Energia uderu	2.40
Ilość akumulatorów	2
Zasilanie	battery
Napięcie akumulatora [V]	18
Średnica wiercenia w betonie	24.00
Średnica wiercenia w drewnie	30.00
Średnica wiercenia w metalu	13.00
Obrotu [obr/min]	1400