



SYMBOL: **4933459572** MANUFACTURER: **Milwaukee** EAN: **4058546027445**



M18 BMT-0X - Multi-tool 18 V, in case without equipment, 4933459572

- Voltage: 18 V
- Oscillation angle left/ right: 1.7°
- No load speed : 12000 - 18000 rpm
- Vibration cutting wood: 12.3 m/s²
- Vibration sanding 3.6 m/s²
- Sound power and pressure level: 90.8 / 79.8 dB(A)
- Battery type: Li-ion
- No. of batteries supplied: 0
- Weight with battery pack: 1.7 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



~~1 209,00 zł~~ **-21%**

953,67 zł (tax excl.)

(1 173,01 zł (tax incl.))

PayU³ VISA MasterCard

Product page

link > <https://im-narzedzia.pl/en/20376-m18-bmt-0x-multi-tool-18-v-in-case-without-equipment-4933459572...>

DESCRIPTION

- Up to 50% faster and versatile cordless solution for cutting and removal applications with corded performance.
- REDLINK™ overload protection and constant speed electronics in tool deliver best in class durability and performance.
- 12 variable speed settings from 12,000 - 18,000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic.
- Productivity enhancing FIXTEC™ tool free blade change with universal blade change adaptor included to accept all competitor blades.
- REDLITHIUM™-ION battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Unique cutting depth stop adaptor to prevent over-cutting in material.
- Unique dust extraction kit to keep the work space dust-free when connected to an AC or DC extraction system.
- Brightest LED workspace illumination.
- Flexible battery system: works with all MILWAUKEE® M18™ [batteries](#)
- Standard equipment: blade, sanding pad, UL blade adapter, blade adapter, clamp shaft, 5x sanding paper, dust port assembly, depth gauge, blade guard.
- **Supplied in case (HD Box) without battery and charger.**

FEATURES

Symbol	M18BMT-0X
Ilość akumulatorów	brak
Zasilanie	battery
Napięcie akumulatora [V]	18
Obroty [obr/min]	12000-18000