



SYMBOL: **4933459269** MANUFACTURER: **Milwaukee** EAN: **4058546002350**



M18 HCC75-502C - Hydraulic underground cable cutter 18 V, 5.0 Ah, 75 mm, in case with 2 batteries and charger, 4933459269

- Voltage: 18 V
- Cutting force: 77.8 kN
- Max. cutting diameter: 75 mm
- Cutting time: <10 s
- Battery type: Li-ion
- No. of batteries supplied: 2
- Battery pack capacity: 5.0 Ah
- Charger supplied: 59 min
- Weight with battery pack: 7.9 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



14 729,00 zł (tax excl.)
(18 116,67 zł (tax incl.))

PayU VISA MasterCard

Product page

link > <https://im-narzedzia.pl/en/20389-m18-hcc75-502c-hydraulic-underground-cable-cutter-18-v-50-ah-75-...>

DESCRIPTION

- FORCE LOGIC™ hydraulic underground cable cutter cuts cables in less than 10 seconds with 77.8 kN of force.
- Brushless POWERSTATE™ motor provides more power, more run time and longer life.
- Cuts aluminium and copper cables up to 75 mm.
- In-line design delivers easiest access in trenches and a secure stand during cable cuts.
- Versatile top-handle can also be used as a stand and provides balanced cut alignment.
- 340° rotatable head powered by a 77.8 kN hydraulic pump delivers best in class cut speed.
- ONE-KEY™ technology allows linemen to view tool usage, receive notifications for recommended maintenance, and sync information wirelessly to the cloud.
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention.
- REDLINK™ individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- REDLITHIUM™-ION battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M18™ [batteries](#).
- Supplied in case (Kitbox) with 2 batteries and charger.

FEATURES

Symbol	M18HCC75-502C
Siła [kN]	77.80
Ilość akumulatorów	2
Zasilanie	battery
Napięcie akumulatora [V]	18