



SYMBOL: **4933471500** MANUFACTURER: **Milwaukee** EAN: **4058546293994**



M12 FIR38LR-0 - Sub compact 3/8" extended reach ratchet 12 V, FUEL™, without equipment, 4933471500

- Voltage: 12 V
- No load speed: 0-200 rpm
- Max. torque: 75 Nm
- Tool holder: 3/8" square
- Head profile: 19.3 mm
- Battery type: Li-ion
- No. of batteries supplied: 0
- Length: 363 mm
- Weight with battery pack: 1.4 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



~~1 239,00 zł~~ **-10%**

1 115,10 zł (tax excl.)

(1 371,57 zł (tax incl.))

PayU

Product page

link > <https://im-narzedzia.pl/en/20598-m12-fir38lr-0-sub-compact-38-extended-reach-ratchet-12-v-fuel-wi...>

DESCRIPTION

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals.
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user.
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces.
- Variable speed trigger provides ultimate control of the tool.
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use.
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time.
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load.
- REDLITHIUM™-ION battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Supplied with 1/4" adaptor.
- Flexible battery system: works with all MILWAUKEE® M12™ [batteries](#).
- Supplied without battery and charger.

FEATURES

| | |
|--------------------------|--------------|
| Symbol | M12FIR38LR-0 |
| Wyjście | 3/8" |
| Nm max | 75 |
| Ilość akumulatorów | brak |
| Zasilanie | battery |
| Napięcie akumulatora [V] | 12 |
| Obroty [obr/min] | 0-200 |