
PARTNER W DOBORZE ROZWIĄZAŃ TECHNICZNYCH DLA PRZEMYSŁU I MOTORYZACJI



DESCRIPTION

- Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods
- Adjustable 10,000 to 20,000 opm allow the user to get the perfect out whatever the material.
 Lowest vibration in its class, 4.56 m/s² driving productivity through performance and safety.
- 1.8° left/right oscillation angle allowing faster cuts.
 Ability to make up to 59 cuts in oak on one 2.0 Ah battery charge.
- REDLINK PLUS" intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load.
- FIXTEC[™] tool free blade change with universal blade change adaptor included to accept all major competitor blades.
 LED work light illuminates the cut line in low light conditions.
- Supplied with an adapter, plunge cut blade OSC 112, sanding backing pad, 5 x sanding sheets and a DEK26 dust guard to use when sanding.
 REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M12[™] batteries.
- Standard equipment: Hex wrench, 1 x adapter, 1 x plunge cut blade OSC 112, 1 x sanding backing pad, 3 x grit 60, 3 x grit 80, 3 x grit 120, 3 x grit 120, 3 x grit 240, dust guard, depth stop.

Supplied without battery and charger.

FEATURES

Symbol	M12FMT-0
Ilość akumulatorów	brak
Zasilanie	battery
Napięcie akumulatora [V]	12
Obroty [obr/min]	10000-20000