



SYMBOL: **4933478836** MANUFACTURER: **Milwaukee** EAN: **4058546361181**



M18 FROP21-0X - Random orbital polisher with 21 mm stroke, 18 V, FUEL™, in case, without equipment, 4933478836

- Voltage: 18 V
- Backing pad diameter: 150 mm
- Diameter of orbit: 21 mm
- No load speed: 2400-4500 rpm
- Line lock out function: yes
- Soft start function: yes
- Variable speed: yes
- Stroke length: 21 mm
- Battery type: Li-ion
- Weight with battery pack (M18 B5): 3.3 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



~~1 849,00 zł~~ **-10%**

1 664,10 zł (tax excl.)

(2 046,84 zł (tax incl.))

PayU



Product page

link > <https://im-narzedzia.pl/en/26779-m18-frop21-0x-random-orbital-polisher-with-21-mm-stroke-18-v-fue...>

DESCRIPTION

- Vibration polishing: 14.7 m/s²
- Vibration polishing uncertainty: 1.5 m/s²
- Sound power level (LWA): 88 dB(A)
- Sound pressure level (LPA): 77 dB(A)

- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications.
- 8 position speed dial selection for maximum control and best finishing results.
- 21 mm orbital function for fast and efficient polishing with a free hologram finish.
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically.
- Lock-on function provides more comfortable and less strenuous use when polishing for longer periods.
- 90° rotated battery slot with a clearance of more than 50 mm to prevent any touch points with the paint and allowing the tool to be stored in a horizontal or vertical position.
- Line-lock-out function to prevent automatic start up.
- Removable dust screen to prevent debris entrance, prolonging motor life.
- The DNA of our FUEL™ platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ electronic intelligence delivering outstanding power, run time and durability.
- Flexible battery system: works with all MILWAUKEE® M18™ batteries.
- Standard Equipment: 150 mm backing pad, dust screen.
- **Supplied in case (HD Box) without battery and charger.**

FEATURES

Symbol	M18FROP21-0X
Ilość akumulatorów	brak
Zasilanie	battery
Napięcie akumulatora [V]	18
Średnica tarczy	150.00
Obroty [obr/min]	2400-4500

